



PATIENT INFORMATION FORM

FLANDOL ADULTS AND CHILDREN

Each capsule contains:

Carthamin (<i>Carthamus tinctorius L.</i>)	50 mg
Bromelain (<i>Ananas comusus</i>)	50 mg
Conjugate of Curcuminoids (<i>Turmeric long L.</i>)	25 mg
Apigenin (<i>Matricaria recutita</i>)	20 mg
Excipients q.s.	

RECOMMENDATIONS FOR USE:

Flandol is indicated for patients with Chronic Sterile Inflammation, helps in the improvement of a nonspecific response to environmental aggressions, and is generated by inflammatory agents, also when inflammation occurs in vascularized connective tissues and arises with the defensive purpose of isolate and destroy the harmful agent, as well as repair the damaged tissue or organ. Helping the patient to alleviate the cause of inflammation.

METHOD OF USE:

Children aged 14 and adults: 1 to 2 capsules a day, preferably after meals.

CONTRAINDICATIONS:

Do not administer to people allergic to tartrazine, caution in phenylketonic patients. Hypersensitivity to any component of the formula. Pregnancy and lactation.

WARNINGS:

If symptoms persist consult your doctor.

ROUTE OF ADMINISTRATION: Oral.

PRESENTATION: Box for 60 capsules.

Keep in a cool and dry place (below 30°C), protect from light.
Keep out of reach of children.

This product is not a medicine. The consumption of this product is the responsibility of the person who recommends it and who is ingested.



Manufactured in Guatemala, C.A., by
Droguería y Laboratorio Pharmalat, S.A.,
0 Av. "C" 2-55, Colonia Najarito, zona 6
Villa Nueva, Guatemala, C.A.
PBX: (502) 6628-1100 FAX: (502) 6628-1157/65
contacto@pharmalat.net • www.pharmalat.net

