



Gets rid of cough and flem
BROMHEXINE HCl
4 mg/5 mL
Oral solution | Raspberry flavor
120 mL

Drug facts

Composition: each 5 mL contains:

Bromhexine HCl.....4 mg
Vehicle q.s.

Indications and uses:

• Bromhexine is indicated in bronchial diseases in which the production of phlegm is exaggerated and poor elimination. This medicine is used as therapy secretolytic acute and chronic bronchopulmonary diseases Associated abnormal mucous secretion and impaired mucous transport; Indicated in asthmatic processes in cases of retained secretions from the bronchial tree.

Dose:

- Children 5 to 12 years: 1 to 2 teaspoons (5 to 10 mL) every 8 hours.
- Children over 12 and adults: 2 teaspoons (10 mL) every 8 hours.

Contraindications:

- Hypersensitivity to any component of the formula.
- Gastric ulcer.
- Diabetes Mellitus

General precautions:

Use cautiously in people who have gastrointestinal ulcer or ulcer history, ingestion of alcohol is not recommended while you are on treatment with this product. This medicine should not be used for more than 7 days; If unrelieved symptoms, consult your doctor.

Not recommended for Children under 2 years without medical supervision.

Report any suspected adverse reaction.

Adverse reactions: Serious anaphylactic reactions and adverse skin reactions (SCAR), which include erythema multiforme, Stevens Johnson syndrome/toxic epidermal necrolysis and acute generalized exanthemic pustulosis, have been reported.

Warnings:

- Consult your doctor before starting to use this supplement if you are pregnant or suspect that you are pregnant or while breast-feeding. It has not yet been established the safety of this drug for use during pregnancy and lactation so its use is not recommended in these states.

Route of administration: oral.

Presentation: bottle of 60 mL, 100 mL, 120 mL and 150 mL.

Sold without prescription

Storage conditions:

- Keep in a cool and dry place (below 30°C), protect from light.
- Medicine, keep out of reach of children.